



# MODERN INCEPTION FOR UNIQUE PEOPLE

The 800x2400mm fullbody tiles of the Our collection are crafted to become the ideal choice for urban architectural style with their grand size and exuberant style.







# PERFECT SIZE THAT MAXIMIZE YOUR ASPIRATION



# **FULLBODY** 800x2400mm

Our Smart Solid Surface is so innovative and versatile that they break down the barriers between surfaces for architecture and furnishing, between indoor and outdoor use. These tiles are not just the perfect size and modular formats for any flooring or wall, but also can dress everything, from the walls of a skyscraper to a garden table. With Our, the freedom to design grows, with solutions that were impossible until yesterday.






The 800x2400mm fullbody tiles are one of the most versatile elements that can be incorporated in any exterior or interior space. Their application is not restricted to walls or floors as they can be installed in a variety of spaces.



## KITCHEN UNIT TOP & COUNTER TOP


One of the trendy applications of tiles has been the kitchen countertops. The 800x2400mm tiles give an effortless look to the kitchen with their luxurious charm.





## WORK DESK & RECEPTION DESK


The 800x2400mm tiles, with their stain resistance, water resistance, scratch resistance and other features become the best option for a work desk and reception desk as it requires surfaces that ages well.





## STAIRCASE

The fullbody 800x2400mm tiles are perfectly suitable to be applied on the staircase as they are resistant to heavy wear and tear. Their durability avoids the edges of the stairs from getting cracked or chipped.







## TABLE TOP & FURNITURE

When designing an urban space, the 800x2400mm tiles become the perfect choice for the tabletops and furniture as they give it a clean and elegant look with comfortable functionality.





# WINDOW & DOOR SILLS

The 800x2400mm fullbody tiles become the sturdy support structures for window sills and door frames and add details and aesthetic value to the decor of the space.





## HEAVY TRAFFIC AREA

The 800x2400mm tiles create a spacious look with their grand size and decreased grout lines in heavy traffic areas like airports, malls, etc. Their durability adds to the functionality of such areas.







The Our Fullbody tiles explore high standards in design aesthetics and performance with their large size and various features that make them highly durable. These tiles create a comfortable space with high-end functionality that enhances the experience of a place. They allow the development of superior spaces with features that go beyond every expectation.



Easy To Clean

Porcelain tiles are easy to clean.



Stain Resistant

Porcelain tiles are waterproof, no liquid can damage the surface.



Scratch Resistant

Porcelain tiles do not splinter, break or get damaged.



Resistant To Acids

Porcelain tiles are resistant to acids found in food and cleaning products.



## Waterproof

Porcelain tiles are easy to clean.



## Frost Resistant

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme cold.



## Resistant To Thermal Shock

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme heat.



## Fire Resistant

Porcelain tiles are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.



## Prevent Bacterial Growth

Porcelain tiles are completely hygienic and inhospitable for bacteria, mites, molds, and fungi.



# EDGE PROFILES




Our designs are available in glossy and matt finishes and different types of edge profiles to expand your design options. Offering unmatched durability with no maintenance, easy-care convenience, and superior stain resistance, we back our surfaces with a transferable Full Lifetime Warranty to ensure years of flawless service.

OGEE

DUPONT

BULLNOSE




OGEE

COVE

























# TERRAZOGREY

TYPOPOGY | THICKNESS

SIZE

FINISH


FULLBODY


15mm


800x2400mm















# GRAFITO CHIPS

TYPOPOGY
FULLBODY

THICKNESS
15mm


SIZE
800x2400mm


GLOSSY
















# FERRO CHIPS

TYPOPOGY

THICKNESS


SIZE

FINISH

FULLBODY

15mm

800x2400mm









SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'VINTAGE WHITE'

## ORRA GREY

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX GREY'



## GRAFITO BLACK

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX BLACK'



# ORRAGREY

TYPOPOGY

THICKNESS


SIZE

FINISH

FULLBODY

15mm

800x2400mm





## CREMA IVORY

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'CREMA SCURO'

## FERRO BROWN

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'MARRON BROWN'

## MOCCA VERDE

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'MOCCA BEIGE'

## **JAISALMER**

SIZE - 800x2400mm

TYPOPOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY



# MOCCAVERDE

TYPOPOGY

THICKNESS

SIZE

FINISH

FULLBODY

15mm

800x2400mm










# AN ESSENCE OF CONTEMPORARY EXPRESSION













# SPARKLEWHITE


TYPOPOGY | THICKNESS


SIZE | FINISH

COLOR BODY 15mm 800x2400mm CARVING













# SPARKLEJAISALMER

TYPOPOGY

**THICKNESS** 

SIZE

FINISH

**COLOR BODY** 

15mm

800x2400mm

CARVING







# AN AESTHETICAL APPEARANCE WITH A SOPHISTICATED TOUCH



## NANO WHITE

SIZE - 800x2400mm

TYPOPOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



## ZED BLACK

SIZE - 800x2400mm

TYPOPOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY





# ZEDBLACK

TYPOPOGY
GLAZED BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY



# PRINTED SERIES

















## SPIDER STATUARIO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



## GALAXY STATUARIO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







## NEXA WHITE

FACE 1

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# ATLANTIC WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





FACE

A STATE OF THE STA



# ATLANTIC WHITE

TYPOPOGY | TH

**THICKNESS** 

SIZE

FINISH

**COLOR BODY** 

15mm

800x2400mm







## HELIX WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# WHITE TOPAZ

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# FACE 1 FACE 2





SIZE - **800x2400mm** 

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



## BIANCO LASA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









**COLOR BODY** 

# WHITETOPAZ

TYPOPOGY THICKNESS

15mm

SIZE | FINISH

800x2400mm | GLOSSY







## IMPERIAL WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



## PEARL ONYX

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







# EXOTIC WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



## MATRIX WHITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







# MATRIX WHITE

TYPOPOGY

**THICKNESS** 

SIZE

FINISH

COLOR BODY

15mm

800x2400mm













#### SAHARA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### NERO MARQUINA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







#### MUSHROOM BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### SONATA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm








# MUSHROOMBLACK

TYPOPOGY
COLOR BODY

THICKNESS
SIZE
800x2400mm
GLOSSY







THUNDER BLACK

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### **BLACK PEARL**

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







DEVONIAN BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



**BLACK RIVER** 

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm








# THUNDERBLACK

TYPOPOGY THICKNESS SIZE

ZE FINISH

COLOR BODY 15mm 800x2400mm GLOSSY







ALPIN BROWN

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





#### PORTORO GOLD

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







BLACK TIGER

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### COSMOS BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm






# PORTORO GOLD

TYPOPOGY
COLOR BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY







#### UNIQUE NEGRO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### OPAL BLUE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# PANTHER BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm









# OPALBLUE

TYPOPOGY

**THICKNESS** 

SIZE

FINISH

COLOR BODY

15mm

800x2400mm

GLOSSY







#### BRESSA BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### TAURAS BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1







VOLGA BLUE

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### OCEAN BLUE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







#### LUMURIA NEGRO

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### MONET BLACK

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm









# TIMELESS DESIGN WITH A TRENDY FLAIR







#### COSMIC BEIGE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### **BOTTOCHINO**

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### DYNA TURKISH

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



FACE 1





## DYNATURKISH

TYPOPOGY THICKNESS

SIZE


FINISH

COLOR BODY

15mm


800x2400mm

GLOSSY













#### FIRE EMPRA

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



#### RED GRANITE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm









MARMO DE BERRY

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### ROSSO RIVER

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm





FACE 1





# VERSATILE SURFACES WITH PERFECT CHROMATIC HARMONY







#### CARPECIA WINE

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1



#### MANGO ONYX

SIZE - 800x2400mm

TYPOPOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1





#### **HOW WE ARE DIFFERENT FROM GRANITE & QUARTZ**

AREA OF COMPARISON	OUR	GRANITE	QUARTZ STONE
Flexural Strength	> 40 Mpa	> 21 Mpa	40 - 50 Mpa
Apparent Density	2.20 - 2.70 kg/dm3	2.20 - 2.40 kg/dm3	2.20 - 2.45 kg/dm3
Abrasion Resistance	> 25 mm	> 16.4 - 18 mm	20 - 22 mm
Colour Consistency	As Per Standard	Variable	As Per Standard
Porosity	Low	High	High
Frost Resistance	Pass	Pass	Fail
Cost Of Onsite Polishing	Nil	Extra	Nil
Water Absorption %	0.08	0.1	0.2
Wastage	No	Yes	No
Pinhole Cracks	No	Yes	No
Uniformity In Quantity Supplied	Yes	No	No
Laying & Completion Time	Low	High	Average
Maintenance	Low	High	High
Size Consistency	Yes	No	Yes
Thickness	Fix	Variable	Fix
Hardness	6	4	6
Breaking Strength	High	Low	High
Glossiness	95+	70	55
Chemical Resistance	Resistance	Reactable	Reactable
Stain Free	Yes	No	No

All pictures are shown for illustration purposes only. Kindly note, actual colors may vary and color variation with batch change may occur.



#### TECHNICAL SPECIFICATION OF OUR FULLBODY VITRIFIED TILE

TEST DISCRIPTION							
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE				
Deviation in Length	IS-13630-1	±0.50%	±0.10%				
Deviation in Width	IS-13630-1	±0.50%	±0.10%				
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%				
Straightness of Sides	IS-13630-1	±0.50%	±0.10%				
Rectangularity	IS-13630-1	±0.60%	±0.15%				
Surface Flatness	IS-13630-1	±0.50%	±0.20%				
Surface Quality	IS-13630-1	Min. 95%	Min. 95%				
PHYSICAL PROPERTIES							
Water Absorption	IS-13630-2	≤0.50%	≤0.50%				
Modulus of Rupture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²				
Breaking Strength(N)	IS-13630-6	≥7.5mm-1300N	≥7.5mm-1400N				
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max				
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4				
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.				
Coefficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 <sup>-0.6</sup> Max.				
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.				
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure				
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min				
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage				
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc				
CHEMICAL PROPERTIES							
Resistance of Staining	IS-13630-8	Class I Min.	Class II				
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA				
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A				
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.				

#### PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	800x2400mm	15mm	1 pcs.	1.92 sq. mtr.	66 Kgs.



### **NOVAC CERAMIC LLP**

At: Lalpar, Real Plaza - 1, Near Omkar Petroleum, 8-A, National Highway, Morbi - 363 642. Cell: +91 97251 20510

www.novacceramic.com | info@novacceramic.com